

classic taps



Our classic range offers timeless designs that just simply won't date. Combining elegant aesthetics with practical functionality, these versatile taps will look great in almost any setting.

Sleek, sophisticated and subtle, our classic taps are available in a range of finishes – including polished chrome, brushed nickel and brushed stainless steel. Delightfully attractive and uncompromising in performance, they offer high quality at an affordable price.

This collection boasts a variety of popular styles, from tall taps with curved or square spouts, to low single lever designs with arched spouts. Pull-out spray taps are available and there's even a choice of 3Flow filter taps.




Fresh, filtered water

If you're looking for a classic looking tap, but want the latest technical innovation, our exclusive range of 3Flow taps offer the best of both worlds. In addition to everyday hot and cold water, these taps generate purified drinking water from one single fitting, so you can enjoy fresh, filtered water straight from the tap – see pages 92-93.

3Flow filter technology

Our innovative 3Flow taps are cleverly designed to deliver hot, cold and filtered water from one single fitting. As with conventional taps, hot and cold water is delivered using the standard controls. An additional lever positioned on the front of our 3Flow taps allows you to select fresh, filtered water. When the lever is turned, water is diverted through a filter cartridge which uses activated carbon media to remove hidden impurities such as chlorine and rust. The result is clean, great-tasting water that can be enjoyed at any time.



Zuben Quad 3Flow – Monobloc
3FZUBQ/CH

General features

- Monobloc design
- Polished chrome
- Minimum 0.5 bar pressure required
- Quarter turn valve
- Dual flow
- Separate filtered supply (filter included)

Dimensions

- Height 350mm
- Reach 200mm



Zuben 3Flow – *Monobloc*
3FZUB/CH

General features

Monobloc design
Polished chrome
Minimum 0.5 bar pressure
required
Quarter turn valve
Dual flow
Separate filtered supply
(filter included)

Dimensions

Height 355mm
Reach 170mm



Single Lever 3Flow – *Single lever*
3FSL/CH

General features

Single lever design
Polished chrome
Minimum 0.5 bar pressure
required
Lever action
Single flow
Separate filtered supply
(filter included)

Dimensions

Height 200mm
Reach 230mm



Kontro – Monobloc
KON3/CH

General features
 Monobloc design
 Polished chrome
 Minimum 0.3 bar pressure required
 Quarter turn valve
 Single flow

Dimensions
 Height 350mm
 Reach 210mm



Avel – Monobloc
AVE3

General features
 Monobloc design
 Polished chrome or brushed nickel
 Minimum 0.3 bar pressure required
 Quarter turn valve
 Single flow

Dimensions
 Height 339mm
 Reach 213mm

	<p>Model codes Polished chrome – AVE3/CH (shown above) Brushed nickel – AVE3/BN (shown left)</p>
--	---



Washington – *Monobloc*
WAS3/CH

General features

Monobloc design
Polished chrome
Minimum 0.3 bar pressure
required
Quarter turn valve
Single flow

Dimensions

Height 322mm
Reach 165mm



Lamar – *Monobloc*
LAM2/SS

General features

Monobloc design
Brushed stainless steel
Minimum 0.5 bar pressure
required
Quarter turn valve
Single flow



STAINLESS STEEL



Zuben Quad – *Monobloc*
ZUBQ3/CH

General features

Monobloc design
Polished chrome
Minimum 0.3 bar pressure
required
Quarter turn valve
Single flow

Dimensions

Height 342mm
Reach 189mm




Aspen – *Single lever*
ASP2/CH

General features

Single lever design
Polished chrome
Minimum 0.3 bar pressure
required
Lever action
Single flow

Dimensions

Height 353mm
Reach 210mm



Aspen Spray – *Pull-out spray*
ASPS2/CH

General features

Pull-out spray design
Polished chrome
Minimum 0.5 bar pressure
required
Lever action
Single flow
Pull-out hose

Dimensions

Height 424mm
Reach 225mm



Aspen Quad – *Single lever*
ASPQ2/CH

General features

Single lever design
Polished chrome
Minimum 0.5 bar pressure
required
Lever action
Single flow

Dimensions

Height 333mm
Reach 189mm



Casper – *Single lever*
CAS2/SS

General features

Single lever design
Brushed stainless steel
Minimum 0.5 bar pressure required
Lever action
Single flow

Dimensions

Height 345mm
Reach 180mm



Casper Quad – *Single lever*
CASQ2/SS

General features

Single lever design
Brushed stainless steel
Minimum 0.5 bar pressure required
Lever action
Dual flow

Dimensions

Height 370mm
Reach 242mm



Sigma – Single lever
SIG2/SS

General features

Single lever design
Brushed stainless steel
Minimum 0.5 bar pressure required
Lever action
Dual flow

Dimensions

Height 160mm
Reach 218mm



Single Lever – Single lever
SL5/CH

General features

Single lever design
Polished chrome
Minimum 0.3 bar pressure required
Lever action
Single flow

Dimensions

Height 145mm
Reach 205mm



Lever Spray – *Pull-out spray*
SLS2/CH

General features

Pull-out spray design
Polished chrome
Minimum 0.8 bar pressure required
Lever action
Single flow
0.95m pull-out hose

Dimensions

Height 175mm
Reach 200mm



Cruciform – *Monobloc*
CRU/CH

General features

Monobloc design
Polished chrome
Minimum 0.3 bar pressure required
Quarter turn valve
Dual flow

Dimensions

Height 244mm
Reach 220mm



Value Monobloc – *Monobloc*
AVCOM3

General features

Monobloc design
Polished chrome
Minimum 0.3 bar pressure
required
Compression valve
Single flow

Dimensions

Height 258mm
Reach 145mm



Monobloc – *Monobloc*
MONCOM/CH

General features

Monobloc design
Polished chrome
Minimum 0.3 bar pressure
required
Compression valve
Dual flow

Dimensions

Height 170mm
Reach 219mm



Old Time Ceramic – *Monobloc*
DS/MONDL/CH

General features

Monobloc design
Polished chrome
Minimum 0.1 bar pressure
required
Quarter turn valve
Dual flow

Dimensions

Height 200mm
Reach 205mm



Deck – *Deck*
DEC/CH

General features

Deck design
Polished chrome
Minimum 0.1 bar pressure
required
Compression valve
Dual flow

Dimensions

Height 140mm
Reach 170mm
Centres 180mm



Pillar – *Pillar*
PIL2/CH

General features

Pillar design

Polished chrome

Minimum 0.1 bar pressure
required

Compression valves

Dimensions

Height 150mm

Reach 86mm