



laundry

The family's best friend. A versatile, reliable washer-dryer or separate washing machine and tumble dryer are essential pieces of kit for the busy family. Whites, colours and delicates will all come up spotlessly clean and beautifully soft with a Caple appliance.



washing and drying options

Caple integrated washing machines and dryers won't let you down. They are housed neatly behind kitchen furniture doors for a seamless, fuss-free look.



Individual choice

Our washing machines are A energy rated, and boast 15 different programmes. There are optional extras like half load, quick wash, intensive wash and easy iron. The 1600rpm spin is faster than most models on the market.

Team your washing machine with an integrated vented tumble dryer. Normally an obtrusive freestanding appliance, this rare integrated model is a kitchen designer's dream. Fully built-in and hidden by a furniture door, it needs to be fitted with a venting kit connected to an outside wall or window, allowing moisture rich hot air to escape. This method of drying provides a dryer environment for the best performance.

Or choose a washer dryer to save space. A fully specified washing machine with a condenser drying function in one. With this drying method, hot air from the drum cools and condenses and the water is discharged via the washing machine waste water pipe.



Features

LED control panel

The electronic control panel shows information such as time remaining on a set programme, delay start time and spin speed. (1)



LCD control panel

Detailed LCD display panels feature on some models. These display the programme phase, spin speed and any additional functions selected. (2)



Stainless steel drum

The high quality stainless steel drum maximises machine longevity, hygiene and garment care. The impressive 1600rpm spin speed on top models enables fast and effective drying. (3)



Extra large door

The extra large drum door on top models makes loading and unloading much easier. (4)





Deluxe electronic washing machine
WMi1012

Performance

Energy class	A
Wash class	A
Spin efficiency	A

15 Programmes:

- cotton 30°C
- cotton 40°C
- cotton 60°C
- cotton 60°C + prewash
- cotton 75°C
- cotton 90°C + prewash
- cotton rinse
- wool handwash
- wool 35°C
- synthetics softener
- synthetics 30°C
- synthetics 40°C
- synthetics 60°C
- synthetics 60°C + prewash
- discharge + spin

Options:

- half load
- delay timer
- quick wash

1600rpm max. spin speed
5kg washing capacity
49 Litre water consumption

Features

- Hot and cold fill
- LED information panel
- End of cycle alarm
- 300mm extra large door
- Door safety lock
- Automatic variable load
- Stainless steel drum and tank
- Self cleaning pump and filter
- Aquastop anti-flood safety device
- Foam control

Electrical connection

Rated load 2.30kW
Fuse rating 13A



Electronic washing machine
WMi2001

Performance

Energy class	A
Wash class	A
Spin efficiency	C

15 Programmes:

- normal cold
- quick 30°C
- normal 30°C
- normal 40°C
- normal 60°C
- normal 90°C
- pre-wash 60°C
- delicate cold
- delicate 30°C
- delicate 40°C
- delicate 60°C
- wool 35°C
- rinses
- spin-drying
- draining

Options:

- delay timer
- extra rinse
- intensive wash
- easy iron
- no spin
- anti-crease

1100rpm max. spin speed
6kg washing capacity
49 Litre water consumption

Features

- Cold fill
- LCD information panel
- 300mm extra large door
- Door safety lock/programme lock
- Automatic variable load
- Stainless steel drum
- Self cleaning pump and filter
- Anti-flood safety device
- Foam control

Electrical connection

Rated load 2.20kW
Fuse rating 13A



Deluxe electronic condenser washer dryer
WDi1212

Performance

Energy class **B**

Wash class **A**

15 Programmes:

- cotton 30°C
- cotton 40°C
- cotton 60°C
- cotton 60°C + prewash
- cotton 75°C
- cotton 90°C + prewash
- cotton rinse
- wool handwash
- wool 35°C
- synthetics softener
- synthetics 30°C
- synthetics 40°C
- synthetics 60°C + prewash
- discharge + spin
- drying programme

Options:

- half load
- delay timer

1600rpm max. spin speed

5kg washing capacity

2.5kg drying capacity

90 Litre water consumption
(wash and dry cycle)

Condenser drying

Intensive 90°C or Delicate
60°C drying

Features

- Reverse tumble action
- Hot and cold fill
- LED information panel
- End of cycle alarm
- 300mm extra large door
- Door safety lock
- Automatic variable load
- Stainless steel drum and tank
- Self cleaning pump and filter
- Aquastop anti-flood safety device
- Foam control

Electrical connection

- Rated load 2.30kW
- Fuse rating 13A



Electronic condenser washer dryer
WDi2201

Performance

Energy class **B**

Wash class **A**

15 Programmes:

- normal cold
- quick 30°C
- normal 30°C
- normal 40°C
- normal 60°C
- normal 90°C
- pre-wash 60°C
- delicate cold
- delicate 30°C
- delicate 40°C
- wool 35°C
- rinses
- spin-drying
- normal dry
- delicate dry

Options:

- delay timer
- extra rinse
- intensive wash
- easy iron
- no spin
- anti-crease

1100rpm max. spin speed

6kg washing capacity

3kg drying capacity

105 Litre water consumption
(wash and dry cycle)

Condenser drying

Iron ready or total drying

Features

- Reverse tumble action
- Final cool down tumble
- Cold fill
- LCD information panel
- 300mm extra large door
- Door safety lock/programme lock
- Automatic variable load
- Stainless steel drum
- Self cleaning pump and filter
- Anti-flood safety device
- Foam control

Electrical connection

- Rated load 2.20kW
- Fuse rating 13A



Fully integrated vented tumble dryer TDi100

Performance

Energy class

C

2 Heat settings
6kg drying capacity
Vented drying

Features


Reverse tumble action
Final cool down tumble
Easy access fluff filter
Rear vented only
Integral extendable hose and
wall outlet
Left or right door hinge
Adjustable legs

Electrical connection

Rated load 2.70kW
Fuse rating 13A


Note: H 80mm vent slot required in plinth (not shown)

venting




**100mm venting kit
(code 212W)**

- For hoods with extraction up to 250m³/h
- 2 Metre ducting kit



**100mm venting kit
(code 214W)**

- For hoods with extraction up to 250m³/h
- 2 Metre ducting kit



**100mm venting kit
(code 2476)**

- For hoods with extraction up to 250m³/h
- 3 Metre rectangular flexible venting kit



100mm venting kit

- For hoods with extraction up to 250m³/h
- Flexible venting kits

Model codes

- 1 Metre 202W
- 2 Metre 202-2W




**125mm venting kit
(code 215W)**

- For hoods with extraction 250-500m³/h
- Supertube kit



**125mm venting kit
(code 216W)**

- For hoods with extraction 250-500m³/h
- 1 Metre flexible venting kit



**125mm venting kit
(code 227W)**

- For hoods with extraction 250-500m³/h
- Supertube kit 125mm connector



**125mm venting kit
(code 219W)**

- For hoods with extraction 250-500m³/h
- Supertube kit 100/125mm connector



Megaduct 150mm kit

- For hoods with extraction over 500m³/h
- Flat channel kit with 2 x 1000mm flat rigid ducting W90mm L220mm

Model codes

- Brown 2653B
- White 2653W

Please note:

Using the incorrect size of extraction pipework will increase the noise level and invalidate the hood guarantee.